PM-SL4



Universal Taper Pipe Mount Slider Bracket for 4-1/2 in OD pipe

Product Classification

Product Type	Pipe mount

General Specifications

Mounting	Saddle mounts
Note	One 96 in x 8 in panel antenna per pipe mount
Pipe, quantity	0
Tower Taper	Tapered

Dimensions

Height	127 mm | 5 in
Width	152.4 mm | 6 in
Length	304.8 mm | 12 in
Pipe Outer Diameter	114.3 mm | 4.5 in

©2020 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: December 8, 2020

COMMSCOPE®

PM-SL4

Outline Drawing



Material Specifications

Material Type	Hot dip galvanized steel

Mechanical Specifications

Wind Rating	120 mph (BWS) at 150 ft AGL
Wind Rating Test Method	TIA/EIA-222

Packaging and Weights

Included	Hardware | Sliding pipe mount brackets
Packaging quantity	2

©2020 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: December 8, 2020

PM-SL4

Weight, net	14.2 kg | 31.306 lb

Regulatory Compliance/Certifications

Agency	Classification
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant

* Footnotes

Wind Rating	BWS—Base Wind Speed; FBC—Florida Building Code

©2020 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: December 8, 2020

COMMSCOPE®